

VIDEOWALLS

From wall, to floor and ceiling mounted

A challenge when mounting a row of displays or a matrix configuration (compared to a single display installation) to a wall is that the larger the mounting surface the more chances of the wall not being 100% evened. Not to worry: the VideoWall mount serves as a completely level mounting surface to which the screens can be installed. Thanks to its aluminium profiles, the mounting challenge, to properly align the displays horizontally as well as vertically and in depth, is met.

Maintenance to the VideoWall is hassle free as is the replacement of the screens.

SmartMetals offers a complete package, giving installers the choice of three different types of mounting arms and a wide variety of wall or floor components, for both large and small VideoWalls.

BENEFITS

- ✓ Easy installation and adjustment
- ✓ For landscape and portrait
- ✓ Solve your mounting problems when the surface is not 100% levelled
- ✓ Push to open mounts for easy and quick service access
- ✓ Custom made solutions possible, even in curved configuration



VIDEOWALLS

How it works - the components of a wall mounted VideoWall

172.0080 Wall bracket

172.0010-50 Aluminium profile



172.0100 Mounting arms

172.0200 Mounting arms

172.0300 Mounting arms



VIDEOWALL -
SET OF MOUNTING ARMS
PUSH TO OPEN




🎨	Colour	●
⚖️	Max. load	80 kg
📏	Max. inch	From 46 inch
🖼️	Position	Landscape & Portrait
📐	VESA	Max. 800 x 400

Article code
172.0100

VIDEOWALLS

Wall mounted

VIDEOWALL - SET OF MOUNTING ARMS ALIGNMENT MECHANISM




	Colour	●
	Max. load	80 kg
	Max. inch	From 46 inch
	Position	Landscape & Portrait
	VESA	Max. 800 x 400

Article code

172.0200

VIDEOWALL - SET OF MOUNTING ARMS ECONOMY VERSION



	Colour	●
	Max. load	80 kg
	Max. inch	From 46 inch
	Position	Landscape & Portrait
	VESA	Max. 800 x 400

Article code

172.0300

VIDEOWALLS

Wall mounted configurations



+ Accessories	See from page 94
! Required	Minimum flat panel height: 533 mm
i Other info	Other lengths on request



Article code	Configuration	Wall brackets	Aluminium	Length	Mounting arms
172.1111	1 x 1	2 x 172.0080	1 x 172.0010	800 mm	1 x 172.0100
172.1122-46	2 x 2	6 x 172.0080	2 x 172.0020	1825 mm	4 x 172.0100
172.1122-55	2 x 2	6 x 172.0080	2 x 172.0030	2017 mm	4 x 172.0100
172.1122-60	2 x 2	6 x 172.0080	2 x 172.0030	2136 mm	4 x 172.0100
172.1133-46	3 x 3	12 x 172.0080	3 x 172.0030	2850 mm	9 x 172.0100
172.1133-55	3 x 3	12 x 172.0080	3 x 172.0040	3234 mm	9 x 172.0100
172.1133-60	3 x 3	12 x 172.0080	3 x 172.0040	3472 mm	9 x 172.0100
172.1154-46	5 x 4	28 x 172.0080	8 x 172.0030	2450 mm	20 x 172.0100
172.1154-55	5 x 4	28 x 172.0080	8 x 172.0030	2834 mm	20 x 172.0100
172.1154-60	5 x 4	28 x 172.0080	8 x 172.0040	3072 mm	20 x 172.0100
172.1211	1 x 1	2 x 172.0080	1 x 172.0010	800 mm	1 x 172.0200
172.1222-46	2 x 2	6 x 172.0080	2 x 172.0020	1825 mm	4 x 172.0200
172.1222-55	2 x 2	6 x 172.0080	2 x 172.0030	2017 mm	4 x 172.0200
172.1222-60	2 x 2	6 x 172.0080	2 x 172.0030	2136 mm	4 x 172.0200
172.1233-46	3 x 3	12 x 172.0080	3 x 172.0030	2850 mm	9 x 172.0200
172.1233-55	3 x 3	12 x 172.0080	3 x 172.0040	3234 mm	9 x 172.0200
172.1233-60	3 x 3	12 x 172.0080	3 x 172.0040	3472 mm	9 x 172.0200
172.1254-46	5 x 4	28 x 172.0080	8 x 172.0030	2450 mm	20 x 172.0200
172.1254-55	5 x 4	28 x 172.0080	8 x 172.0030	2834 mm	20 x 172.0200
172.1254-60	5 x 4	28 x 172.0080	8 x 172.0040	3072 mm	20 x 172.0200
172.1311	1 x 1	2 x 172.0080	1 x 172.0010	800 mm	1 x 172.0300
172.1322-46	2 x 2	6 x 172.0080	2 x 172.0020	1825 mm	4 x 172.0300
172.1322-55	2 x 2	6 x 172.0080	2 x 172.0030	2017 mm	4 x 172.0300
172.1322-60	2 x 2	6 x 172.0080	2 x 172.0030	2136 mm	4 x 172.0300
172.1333-46	3 x 3	12 x 172.0080	3 x 172.0030	2850 mm	9 x 172.0300
172.1333-55	3 x 3	12 x 172.0080	3 x 172.0040	3234 mm	9 x 172.0300
172.1333-60	3 x 3	12 x 172.0080	3 x 172.0040	3472 mm	9 x 172.0300

VIDEOWALLS

Floor mounted

SmartMetals offers 6 different floor mounted VideoWalls as can be seen in the pictures below.


All VideoWall solutions have their own maximum horizontal and vertical rows of displays; depending on size, weight and distance from floor to bottom first row of screens. In this catalogue we present the most popular configurations of each solution, with variations in mounting arms for the displays (explained in the previous chapter).

Composition of the article code: **VW1.12246-080**

↓ ↓ ↓ ↓ ↓
 1 2 3 4 5


- | | | |
|----|------------------|---|
| 1. | VW 1-6 | type VideoWall |
| 2. | 1-2- or 3 | type mounting arm 172.0100 / 172.0200 / 172.0300 |
| 3. | 11, 22, 33 or 54 | display configuration: 2 x 2, 3 x 3 or 4 x 2 |
| 4. | 46, 55 or 60 | inch size |
| 5. | -080 | distance in cm between floor to bottom first row of screens |

If you need a different VideoWall configuration, please do not hesitate to contact us to help with your enquiry.



VIDEOWALL 1

With large base plates
free standing on the floor



VIDEOWALL 2

With small base plates
fixed mounted on the floor



VIDEOWALL 3

With small floor and wall
plates, fixed mounted on the
floor and to the wall



VIDEOWALL 4

With small floor and ceiling
plates, fixed mounted on the
floor and to the ceiling



VIDEOWALL 5

With open frame on wheels



VIDEOWALL 6

With closed frame and cover
on wheels

VIDEOWALLS

VideoWall 1: Free standing configurations



+ Accessories See from page 94
i Other info Other lengths on request

Article code	Configuration	Column + base	Length	Stand head	Aluminium	Length	Mounting arms
VW1.12246-080	2 x 2	2 x VW1.0005	1866 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0100
VW1.12255-080	2 x 2	2 x VW1.0010	2120 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0100
VW1.12260-080	2 x 2	2 x VW1.0010	2258 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0100
VW1.13346-080	3 x 3	2 x VW1.0010	2424 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0100
VW1.13355-080	3 x 3	3 x VW1.0010	2805 mm	9 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0100
VW1.13360-080	3 x 3	3 x VW1.0010	3012 mm	9 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0100
VW1.14246-080	4 x 2	3 x VW1.0010	1866 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0100
VW1.14255-080	4 x 2	4 x VW1.0010	2120 mm	8 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0100
VW1.14260-080	4 x 2	4 x VW1.0010	2258 mm	8 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0100
VW1.22246-080	2 x 2	2 x VW1.0005	1866 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0200
VW1.22255-080	2 x 2	2 x VW1.0010	2120 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0200
VW1.22260-080	2 x 2	2 x VW1.0010	2258 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0200
VW1.23346-080	3 x 3	2 x VW1.0010	2424 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0200
VW1.23355-080	3 x 3	3 x VW1.0010	2805 mm	9 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0200
VW1.23360-080	3 x 3	3 x VW1.0010	3012 mm	9 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0200
VW1.24246-080	4 x 2	3 x VW1.0010	1866 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0200
VW1.24255-080	4 x 2	4 x VW1.0010	2120 mm	8 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0200
VW1.24260-080	4 x 2	4 x VW1.0010	2258 mm	8 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0200
VW1.32246-080	2 x 2	2 x VW1.0005	1866 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0300
VW1.32255-080	2 x 2	2 x VW1.0010	2120 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0300
VW1.32260-080	2 x 2	2 x VW1.0010	2258 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0300
VW1.33346-080	3 x 3	2 x VW1.0010	2424 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0300
VW1.33355-080	3 x 3	3 x VW1.0010	2805 mm	9 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0300
VW1.33360-080	3 x 3	3 x VW1.0010	3012 mm	9 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0300
VW1.34246-080	4 x 2	3 x VW1.0010	1866 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0300
VW1.34255-080	4 x 2	4 x VW1.0010	2120 mm	8 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0300
VW1.34260-080	4 x 2	4 x VW1.0010	2258 mm	8 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0300

VIDEOWALLS

VideoWall 2: Fixed floor mounted configurations



+ Accessories

See from page 94

i Other info

Other lengths on request

Article code	Conf.	Col. + base	Length	Stand head	Aluminium	Length	Mnt. arms
VW2.12246-080	2 x 2	2x VW2.0010	1866 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0100
VW2.12255-080	2 x 2	2x VW2.0010	2120 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0100
VW2.12260-080	2 x 2	2x VW2.0010	2258 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0100
VW2.13346-080	3 x 3	2x VW2.0010	2424 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0100
VW2.13355-080	3 x 3	3x VW2.0010	2805 mm	9 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0100
VW2.13360-080	3 x 3	3x VW2.0010	3012 mm	9 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0100
VW2.14246-080	4 x 2	3x VW2.0010	1866 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0100
VW2.14255-080	4 x 2	4x VW2.0010	2120 mm	8 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0100
VW2.14260-080	4 x 2	4x VW2.0010	2258 mm	8 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0100
VW2.22246-080	2 x 2	2x VW2.0010	1866 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0200
VW2.22255-080	2 x 2	2x VW2.0010	2120 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0200
VW2.22260-080	2 x 2	2x VW2.0010	2258 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0200
VW2.23346-080	3 x 3	2x VW2.0010	2424 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0200
VW2.23355-080	3 x 3	3x VW2.0010	2805 mm	9 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0200
VW2.23360-080	3 x 3	3x VW2.0010	3012 mm	9 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0200
VW2.24246-080	4 x 2	3x VW2.0010	1866 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0200
VW2.24255-080	4 x 2	4x VW2.0010	2120 mm	8 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0200
VW2.24260-080	4 x 2	4x VW2.0010	2258 mm	8 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0200
VW2.32246-080	2 x 2	2x VW2.0010	1866 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0300
VW2.32255-080	2 x 2	2x VW2.0010	2120 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0300
VW2.32260-080	2 x 2	2x VW2.0010	2258 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0300
VW2.33346-080	3 x 3	2x VW2.0010	2424 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0300
VW2.33355-080	3 x 3	3x VW2.0010	2805 mm	9 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0300
VW2.33360-080	3 x 3	3x VW2.0010	3012 mm	9 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0300
VW2.34246-080	4 x 2	3x VW2.0010	1866 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0300
VW2.34255-080	4 x 2	4x VW2.0010	2120 mm	8 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0300
VW2.34260-080	4 x 2	4x VW2.0010	2258 mm	8 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0300

VIDEOWALLS

VideoWall 3: Fixed floor + wall mounted configurations




+ Accessories See from page 94
 ⓘ Other info Other lengths on request



Article code	Configuration	Column + base	Length	Stand head	Aluminium	Length	Mounting arms
VW3.12246-080	2 x 2	2x VW3.0010	1866 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0100
VW3.12255-080	2 x 2	2x VW3.0010	2120 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0100
VW3.12260-080	2 x 2	2x VW3.0010	2258 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0100
VW3.13346-080	3 x 3	2x VW3.0010	2424 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0100
VW3.13355-080	3 x 3	2x VW3.0010	2805 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0100
VW3.13360-080	3 x 3	2x VW3.0010	3012 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0100
VW3.14246-080	4 x 2	3x VW3.0010	1866 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0100
VW3.14255-080	4 x 2	3x VW3.0010	2120 mm	6 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0100
VW3.14260-080	4 x 2	3x VW3.0010	2258 mm	6 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0100
VW3.22246-080	2 x 2	2x VW3.0010	1866 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0200
VW3.22255-080	2 x 2	2x VW3.0010	2120 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0200
VW3.22260-080	2 x 2	2x VW3.0010	2258 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0200
VW3.23346-080	3 x 3	2x VW3.0010	2424 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0200
VW3.23355-080	3 x 3	2x VW3.0010	2805 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0200
VW3.23360-080	3 x 3	2x VW3.0010	3012 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0200
VW3.24246-080	4 x 2	3x VW3.0010	1866 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0200
VW3.24255-080	4 x 2	3x VW3.0010	2120 mm	6 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0200
VW3.24260-080	4 x 2	3x VW3.0010	2258 mm	6 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0200
VW3.32246-080	2 x 2	2x VW3.0010	1866 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0300
VW3.32255-080	2 x 2	2x VW3.0010	2120 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0300
VW3.32260-080	2 x 2	2x VW3.0010	2258 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0300
VW3.33346-080	3 x 3	2x VW3.0010	2424 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0300
VW3.33355-080	3 x 3	2x VW3.0010	2805 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0300
VW3.33360-080	3 x 3	2x VW3.0010	3012 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0300
VW3.34246-080	4 x 2	3x VW3.0010	1866 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0300
VW3.34255-080	4 x 2	3x VW3.0010	2120 mm	6 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0300
VW3.34260-080	4 x 2	3x VW3.0010	2258 mm	6 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0300

VIDEOWALLS

VideoWall 4: Fixed floor + ceiling mounted configurations



+ Accessories

See from page 94

i Other info

Other lengths on request



Article code	Conf.	Col. + base	Length	Stand head	Aluminium	Length	Mnt. arms
VW4.12246-080	2 x 2	2x VW4.0010	2800-3000 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0100
VW4.12255-080	2 x 2	2x VW4.0010	2800-3000 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0100
VW4.12260-080	2 x 2	2x VW4.0010	2800-3000 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0100
VW4.13346-080	3 x 3	2x VW4.0010	2800-3000 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0100
VW4.13355-080	3 x 3	2x VW4.0010	2800-3000 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0100
VW4.13360-080	3 x 3	2x VW4.0010	2800-3000 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0100
VW4.14246-080	4 x 2	3x VW4.0010	2800-3000 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0100
VW4.14255-080	4 x 2	3x VW4.0010	2800-3000 mm	6 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0100
VW4.14260-080	4 x 2	3x VW4.0010	2800-3000 mm	6 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0100
VW4.22246-080	2 x 2	2x VW4.0010	2800-3000 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0200
VW4.22255-080	2 x 2	2x VW4.0010	2800-3000 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0200
VW4.22260-080	2 x 2	2x VW4.0010	2800-3000 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0200
VW4.23346-080	3 x 3	2x VW4.0010	2800-3000 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0200
VW4.23355-080	3 x 3	2x VW4.0010	2800-3000 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0200
VW4.23360-080	3 x 3	2x VW4.0010	2800-3000 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0200
VW4.24246-080	4 x 2	3x VW4.0010	2800-3000 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0200
VW4.24255-080	4 x 2	3x VW4.0010	2800-3000 mm	6 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0200
VW4.24260-080	4 x 2	3x VW4.0010	2800-3000 mm	6 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0200
VW4.32246-080	2 x 2	2x VW4.0010	2800-3000 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0300
VW4.32255-080	2 x 2	2x VW4.0010	2800-3000 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0300
VW4.32260-080	2 x 2	2x VW4.0010	2800-3000 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0300
VW4.33346-080	3 x 3	2x VW4.0010	2800-3000 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0300
VW4.33355-080	3 x 3	2x VW4.0010	2800-3000 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0300
VW4.33360-080	3 x 3	2x VW4.0010	2800-3000 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0300
VW4.34246-080	4 x 2	3x VW4.0010	2800-3000 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0300
VW4.34255-080	4 x 2	3x VW4.0010	2800-3000 mm	6 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0300
VW4.34260-080	4 x 2	3x VW4.0010	2800-3000 mm	6 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0300

VIDEOWALLS

VideoWall 5: Mobile open frame configurations



+ Accessories See from page 94
 ⓘ Other info Other lengths on request



Article code	Configuration	Column + base	Length	Stand head	Aluminium	Length	Mounting arms
VW5.12246-080	2 x 2	1x 172.1022	1671 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0100
VW5.12255-080	2 x 2	1x 172.1022	1925 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0100
VW5.12260-080	2 x 2	1x 172.1022	2063 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0100
VW5.13346-080	3 x 3	1x 172.1033	2229 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0100
VW5.13355-080	3 x 3	1x 172.1033	2610 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0100
VW5.13360-080	3 x 3	1x 172.1033	2817 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0100
VW5.22246-080	2 x 2	1x 172.1022	1671 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0200
VW5.22255-080	2 x 2	1x 172.1022	1925 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0200
VW5.22260-080	2 x 2	1x 172.1022	2063 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0200
VW5.23346-080	3 x 3	1x 172.1033	2229 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0200
VW5.23355-080	3 x 3	1x 172.1033	2610 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0200
VW5.23360-080	3 x 3	1x 172.1033	2817 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0200
VW5.32246-080	2 x 2	1x 172.1022	1671 mm	4 x 172.0090	4 x 172.0020	1825 mm	4 x 172.0300
VW5.32255-080	2 x 2	1x 172.1022	1925 mm	4 x 172.0090	4 x 172.0030	2017 mm	4 x 172.0300
VW5.32260-080	2 x 2	1x 172.1022	2063 mm	4 x 172.0090	4 x 172.0030	2136 mm	4 x 172.0300
VW5.33346-080	3 x 3	1x 172.1033	2229 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0300
VW5.33355-080	3 x 3	1x 172.1033	2610 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0300
VW5.33360-080	3 x 3	1x 172.1033	2817 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0300

VIDEOWALLS

VideoWall 6: Mobile closed frame configurations




+ Accessories

See from page 94


i Other info

Other lengths on request



Article code	Conf.	Col. + base	Length	Stand head	Aluminium	Length	Mnt. arms
VW6.13246	3 x 2	1x 172.2032	1798 mm	4 x 172.0090	4 x 172.0030	2850 mm	6 x 172.0100
VW6.13255	3 x 2	1x 172.2032	2052 mm	4 x 172.0090	4 x 172.0040	3234 mm	6 x 172.0100
VW6.13260	3 x 2	1x 172.2032	2190 mm	4 x 172.0090	4 x 172.0040	3472 mm	6 x 172.0100
VW6.13346	3 x 3	1x 172.2033	2356 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0100
VW6.13355	3 x 3	1x 172.2033	2737 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0100
VW6.13360	3 x 3	1x 172.2033	2944 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0100
VW6.14246	4 x 2	1x 172.2042	1798 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0100
VW6.14255	4 x 2	1x 172.2042	2052 mm	6 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0100
VW6.14260	4 x 2	1x 172.2042	2190 mm	6 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0100
VW6.23246	3 x 2	1x 172.2032	1798 mm	4 x 172.0090	4 x 172.0030	2850 mm	6 x 172.0200
VW6.23255	3 x 2	1x 172.2032	2052 mm	4 x 172.0090	4 x 172.0040	3234 mm	6 x 172.0200
VW6.23260	3 x 2	1x 172.2032	2190 mm	4 x 172.0090	4 x 172.0040	3472 mm	6 x 172.0200
VW6.23346	3 x 3	1x 172.2033	2356 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0200
VW6.23355	3 x 3	1x 172.2033	2737 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0200
VW6.23360	3 x 3	1x 172.2033	2944 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0200
VW6.24246	4 x 2	1x 172.2042	1798 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0200
VW6.24255	4 x 2	1x 172.2042	2052 mm	6 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0200
VW6.24260	4 x 2	1x 172.2042	2190 mm	6 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0200
VW6.33246	3 x 2	1x 172.2032	1798 mm	4 x 172.0090	4 x 172.0030	2850 mm	6 x 172.0300
VW6.33255	3 x 2	1x 172.2032	2052 mm	4 x 172.0090	4 x 172.0040	3234 mm	6 x 172.0300
VW6.33260	3 x 2	1x 172.2032	2190 mm	4 x 172.0090	4 x 172.0040	3472 mm	6 x 172.0300
VW6.33346	3 x 3	1x 172.2033	2356 mm	6 x 172.0090	6 x 172.0030	2850 mm	9 x 172.0300
VW6.33355	3 x 3	1x 172.2033	2737 mm	6 x 172.0090	6 x 172.0040	3234 mm	9 x 172.0300
VW6.33360	3 x 3	1x 172.2033	2944 mm	6 x 172.0090	6 x 172.0040	3472 mm	9 x 172.0300
VW6.34246	4 x 2	1x 172.2042	1798 mm	6 x 172.0090	4 x 172.0040	3875 mm	8 x 172.0300
VW6.34255	4 x 2	1x 172.2042	2052 mm	6 x 172.0090	4 x 172.0050	4451 mm	8 x 172.0300
VW6.34260	4 x 2	1x 172.2042	2190 mm	6 x 172.0090	4 x 172.0050	4808 mm	8 x 172.0300

SmartMetals has a technical drawing available of all VideoWall solutions in a 3x3 configuration. We can create a custom technical drawing of the VideoWall of your choice. Ask us for more information.



VIDEOWALLS

Ceiling mounted Lightweight VideoWall

SmartMetals has a modular mounting system for flat panel VideoWalls, that can be freely composed as wall or floor solution of any configuration.

The compositions are made with aluminium profiles over the full width of the VideoWall, to offer an easy horizontal alignment of the flat panels. Furthermore a selection of economy, full alignment or push to open mounting arms can be made to fit the maintenance requirements on location. As for the model we offer a wide choice between various floor supports to meet the design wishes of the architect or end user: models range from freestanding to between floor and wall/ceiling to mobile.

With accessory 172.0082, custom configurations can be made to install multiple monitors to the ceiling. For example a configuration of two monitors to a single ceiling mount in landscape, or 3 monitors to two ceiling mounts in portrait.

Please feel free to contact us with the configuration of your preference and we will help you with an offer to suit your demand.

